Journal of
APPLIED POLYMER SCIENCE

Volumes 50, 1993

EDITOR
Eric Baer
Dept. of Macromolecular Science
Case Western Reserve University
Cleveland, OH 44106

FOUNDING EDITOR
Herman F. Mark

ASSOCIATE EDITORS

Clive Bosnyak
Polycarbonate Research
Dow Chemical U.S.A.
B-1470A
Freeport, TX 77541

Stam G. Mylonakis
EniChem America Inc.
2000 Cornwall Road
Monmouth Junction,
NJ 08852

Brian W. Pengilly
Goodyear Tire &
Rubber Company
P.O. Box 3531
Akron, OH 44309-3531

Debra Wilfong
Memory Technologies
Group
Company
3 M Center/236-3C-O2
St. Paul, MN 55144-1000

ADVISORY BOARD

B. M. Baysal
N. M. Bikales
W. Bonfield
D. C. Bonner
S. H. Carr
M. E. Carrega
H. Cherdron
R. E. Cohen
J. R. Collier
J. M. G. Cowie
J. A. Cuculo
J. M. DeSimone
A. T. DiBenedetto
R. K. Eby
G. W. Ehrenstein
M. S. El-Aasser
F. Garbassi
P. H. Geil
J. K. Gillham
W. G. Glasser
I. R. Harrison
A. Hiltner
J. Idol
R. Ikeda
M. Ito
S. H. Kandil
J. L. Kardos
A. Keller
F. N. Kelley
L. Konczol
M. Kryszewski
T. K. Kwei
J. L. Leblanc
V. Malpass
L. Manring
K. Matsushige
S. Matsuzawa
K. A. Mauritz
G. Mayer
J. M. Mays
T. J. McCarthy
R. D. Miller
C. L. Myers
L. Nicolais
I. Noda
M. M. O'Mara
N. Ogata
E. F. Oleynik
M. S. Parthasarathy
D. R. Paul
N. A. Peppas
N. A. Plate
G. W. Poehlein
R. S. Porter
R. E. Prud'homme
M. Raab
L. Rebenfeld
F. Rodriguez
A. Rudin
R. Salovey
M. Sawamoto
L. Shi
A. Siegmann
A. W. Snow
L. H. Sperling
D. R. Squire
J. W. Stevens
H.-M. Tan
S. Tripathy
R. Vera-Graziano
I. M. Ward
J. L. White
G. L. Wilkes
K. J. Wynne

Editorial Production, John Wiley: Geri Burgert, Sheila Kaminsky

The *Journal of Applied Polymer Science* (ISSN 0021-8995) is published weekly on the 5th, 10th, 15th, and 20th of each month, four volumes per year, by John Wiley & Sons, Inc., 605 Third Avenue, New York, New York 10158.

Copyright © 1993 John Wiley & Sons, Inc. All rights reserved. No part of this publication may be reproduced in any form or by any means, except as permitted under section 107 or 108 of the 1976 United States Copyright Act, without either the prior written permission of the publisher, or authorization through the Copyright Clearance Center, 27 Congress Street, Salem, MA 01970, (508) 744-3350, fax (508) 745-9379.
Second-class postage paid at New York, NY, and at additional mailing offices.
The code and copyright notice appearing at the bottom of the first page of an item in the journal indicate the copyright holder's consent that copies may be made for personal or internal use, or for the personal or internal use of specific clients, on the condition that the copier pay for copying beyond that permitted by Sections 107 and 108 of the U.S. Copyright Law.
This consent does not extend to other kinds of copying, such as copying for general distribution, for advertising or promotional purposes, for creating new collective works, or for resale. Such permission requests and other permission inquiries should be addressed to the Permissions Dept.
Subscription price (Volumes 47–50, 1993): $3,530.00 in US, $4,010.00 in Canada and Mexico, $4,190.00 outside North America. All subscriptions outside US will be sent by air. Payment must be made in US dollars drawn on a US bank. Claims for undelivered copies will be accepted only after the following issue has been received. Please enclose a copy of the mailing label. Missing copies will be supplied when losses have been sustained in transit and where reserve stock permits. Please allow four weeks for processing a change of address. For subscription inquiries, please call (212) 850-6645.
Postmaster: Send address changes to *Journal of Applied Polymer Science,* Susan Malawski, Director, Subscription Fulfillment and Distribution, Subscription Department, John Wiley & Sons, Inc., 605 Third Avenue, New York, New York 10158.
Advertising/Sales: Inquiries concerning advertising should be forwarded to Roberta Frederick, Advertising Sales, John Wiley & Sons, Inc., 605 Third Avenue, New York, NY 10158, (212) 850-8832. Advertising Sales, European Contact: Michael Levermore, Advertising Sales Manager, John Wiley & Sons, Ltd., Baffins Lane, Chichester, Sussex PO19 1UD, England.
Other Correspondence: Address all other correspondence to: *Journal of Applied Polymer Science,* Publisher, Interscience Division, Professional, Reference, and Trade Group, John Wiley & Sons, Inc., 605 Third Ave., New York, NY 10158.
The contents of this journal are indexed or abstracted in *Applied Mechanics Reviews, Chemical Abstracts, Chemical Titles, Current Contents/Engineering, Technology, and Applied Sciences, Current Contents/Physical, Chemical, and Earth Sciences, Engineering Index, Excerpta Medica, RAPRA Abstracts, Research Alert (ISI), Science Citation Index (ISI),* and *SCISEARCH Database (ISI).*

This journal is printed on acid-free paper.

Journal of Applied Polymer Science

Subject Index to Volume 50

AB-cross-linked copolymer system, 1405
A-BMI resins, 1601
Acid-catalyzed dehydration, 1013
Acidic reagents, 541
Acrylic-based superabsorbents, 1851
Activation energies, 1565
Adhesion, 863, 2149
Adhesion promoter, 83
Adhesives, 907
Adiabatic anionic polymerization, 1671
Adsorption, 173
Air plasma treatment, 187
Alcohol–water mixture, separation, 115
Aliphatic diamines, 67
Allyloxy end-blocked organic oligomer 2, 825
American cotton cultivars, 49
Anhydride curing agents, 1635
Anionic dye removal, 735
Annealing, 411
Antioxidant concentration, 1493
Antioxidants, 1247, 1823
Aqueous formaldehyde solution, 1299
Atomic force microscopy, 917
ATR FT–IR spectroscopy, 1207
(ATR FT–IR) spectroscopy, 1217
Automotive paints, physical damage, 541

Bacterial cellulose (BC) membrane, as separation medium, 965
Batch process, 735
Batchwise system, 745
Battery electrode, 1423
Bifunctional initiation, 327
Bimolecular condensation polymers, 381
Binary liquid mixtures, 1833
Biocidal polymers, 651, 663, 671
Biodegradation, 1739, 1999
Blends, 83, 719, 753, 777, 995, 1059, 1179, 1239, 1369, 1379, 1397, 1591, 1619, 1627, 1747, 2055, 2209
Blow-extruded high-density polyethylene (HDPE) films, 2085
Blowing agents, 835
Blow-up ratio (BUR), 2085
Bound rubber theory, 285
Bovine serum albumin adsorption, 1391
Breakthrough times (BT), of solvents, 531
Bulk free radical polymerization, 327

Caesarweed fibers, 645
Capillary flow, 1169
Capillary rheometer, 159
ϵ-caprolactam, 1671
Carbon black filler, 1627
Carbon black particles, 181
Carbon cycle, 1739
Carbon dioxide, as foaming agent, 835
Carbon fibers, 851
κ-Carrageenan, 2021
Castor oil-based polyesters, 2143
Catalyst injection system, 431
Catalysts, 149
Catalytic hydrogenation, 1035
Cationic crosslinking, 243
Cationic resins, 469
Cellulose biodegradation, 1739
Cellulose crystallinity, 27
Cellulose III solubility, 27
Chain branching, 1903
Chain configuration, 321
Chain extension, 1501
Chain microstructure, 2121
Chain-scissoring process, 845
Charge-transfer (CT) complex, 1429
Chelating resins, 1195
Chemical compatibilizers, 2055
Chemical modification, 353, 1485
Chemical modification, of silk fibers, 1519
Chemical protective clothing (CPC) polymers, 513, 531
Chitin, 1773
Chitosan, 353, 2021
Chitosan fibers, 1773
Chitosan hydrogel membranes, 1665
Chromium soap solutions, 41
Clear-coat paints, 541
^{13}C NMR analysis, 907
C^{13} NMR bands, 2105
Coalescence, 1207
Coatings, 651, 663, 671, 917, 1701
Coefficient of thermal expansion (CTE), 477
Cold-rolled steel (CRS) joints, 1701
Collagen solutions, 1969
Colloidal application, 95
Color development, 1807
Compatibilizer, 1179
Compatibilizers, 1239, 2055
Complex films, 1807
Composite films, 1423, 2217
Composite materials (CM), 2035
Composites, 7, 637, 699, 759, 875, 1159, 1541, 1891, 2035
Compressed fluid antisolvent, 1929
Compression molding, 1343, 1351
Condensation polymers, 381
Conducting composite materials (CCM), 2035
Contact angle measurements, 851, 1343
Contact-angle measurements, 187

Contact angles, 929
Contrast curve analysis, 2191
Controlled release, 941
Conventional fast–fast coincidence timing system, 1723
Copolymer permeability, 1405
Copolymers, 173
Corona poling, 1575
Corrosion protection, 917
Cotton cultivars, 49
Cotton fabric, grafting of vinyl monomers, 2099
Cotton fibers, 1295
Cotton, true spiral angle, 1295
Crack–inclusion interaction, 1233
Creep behavior, 293
Crossbreed silk fibers, 949
Crosslink density, 277
Cross-linked maxillofacial elastomers, 729
Crosslinking, 679, 1195, 1287, 1575, 1583, 1627, 2027
Cross-linking, 729, 811, 2047
Crystallinity, 1883
Crystallinity, in the cellulose/polypropylene system, 1187
Curing, 627, 811, 875, 1555, 1583, 1601, 1635, 1943
Curing agents, 1453
Curing reaction, 1099
Curing system, 825
Cycling moisture content, 293

Damping, 277
Dedoping behaviors, 601
Dee and Walsh cell models, 2075
Degradation, 1, 403, 1493, 1501, 2039, 2121, 2129
Degree of saponification (DS), 709
Dialysis membrane, 965
Diblock copolymers, 891
Dicyandiamide (DICY), as a curing agent, 1453
DIDA-modified polyester, 259
Dielectric behavior, 1583
Differential scanning calorimetry (DSC), 503, 679, 777, 1099, 1225, 1239, 1287, 1493, 1555, 1601, 1635, 1797, 1841, 1863, 1951, 2143
Differential thermogravimetric analysis (DTGA), application to the study of polymerization mechanisms, 1475
Diffusion coefficient, of water, 981
Diffusion-induced phase separation (DIPS), 13
Dilute solutions, 41
Dilute-solution viscometry (DSV), 1115
Direct current (dc) conductivity, 1943
Dispersing technology, 95
Dispersion polymerization, 303, 2027
Doolittle equation parameter, 1803
Doping behaviors, 601
Double-base inhibitors, 1761
Double-base propellants, 1761
Double-base rocket (DB) propellants, 1655
Draw ratio, 855
Drug binding, 393
Drug-delivery systems, 1863
Ductile thermoplastic oligomers, 1065
Dummy hydroxy-terminated polybutadiene (HTPB) propellant binders, 57
Dynamic mechanical analysis (DMA), 1423, 2065
Dynamic mechanical properties, of composites, 277

Effluents, 735
Egyptian cotton cultivars, 49
Elastomer composites, 1435
Elastomer resins, 863
Elastomers, 1269
Electric field, 1723
Electrical conductivity, 601, 1969
Electrodeposited polypyrrole (PPY) films, 411
Electrodeposition, 469
Electrodes, 1423
Electronic encapsulation, 477
Electrooptical applications, 2217
Emulsion copolymerization, 2173
Emulsion polymerization, 745, 765
End-capping, 1317
Endcapping, 1883
Epoxidation, 845
Epoxides, 67, 1841
Epoxidized natural rubber (ENR), 181, 845
Epoxy composites, 1683
Epoxy matrix, 615
Epoxy resin, 1099
Epoxy resins, 477, 627, 875, 1065, 1453, 1511, 1583, 2065
Epoxy surfaces, 1343
Equilibrium phase-transition temperatures, 897
Esterification kinetics, 2007
Esterification, of cellulose, 2047
Ether linkages, 1391
Ethyl acrylate/methacrylic acid (EA/MAA) latex stability, 1207
Ethyl–cyanoethyl cellulose [(E–CE)C]/acrylic acid (AA) mesophase, 607

Fast curing elastomer, 863
Fatigue, 2223
Ferrofluid, 765
Fiber–matrix interface, 503
Fibers, 1, 49, 449, 503, 645, 699, 863, 949, 1123, 1187, 1295, 1435, 1519, 1541, 1715, 1841, 1909, 1929, 2035
Fibers, electrokinetic properties, 449
Fibers, heat treatment, 1225
Fibers, surface acid-base characteristics, 851
Fillers, 1287, 1891
Films, 345, 981, 1141, 1151, 1423, 2085, 2217
Film surfaces, 1351
Finite element model, 1233
Finneman–Ross method, 1239
Fire resistant hydraulic fluids (HF), 2115
Flame-cut agents, 2185
Flexible water-blown, 293
Flory interaction parameter, 1115
Flory relationship, 321
Flory-distribution curves, 551
Flory–Huggins, 251
Flory–Huggins equation, 1833
Flory–Orwoll–Vrij cell models, 2075

Flory–Rehner equation, 777
Flory–Rehner polymer solution theory, 513
Flory's distribution, 381
Fluorinated substituents, 1645
Foaming agent, 835
Food packaging, 1261
Formaldehyde, 1299, 1307
Formaldehyde emission, 907
Formaldehyde purification technology, 1307
Formaldehyde–water binary systems, 1307
Fourier transform infrared (FTIR) analysis, 165, 469
Fourier transform infrared spectroscopy (FT–IR), 1207, 1217
Fourier transform infrared spectroscopy (FTIR), 2047
Fracture path, 1233
Fracture toughness, 817
Free volume theory, 327
Friction transfer, 1151
Functionalization, 233

Gallium ion removal/recovery, 1733
Gamma irradiation, 459
Gases, 1041
Gas permeability of nylon, 2095
Gas permeation, 1035
Gas-phase polymerization, 431
Gas-phase reactor system, 431
Gas-separation, 1059
Gas-transport properties, 1261
Gelation time, 1883
Gel filtration, 2115
Gel formation, 1331
Gel-layer membranes, 1013
Gelling times, 1545
Gel permeation chromatography, 1999
Gel point, 557
Gels, 1331
Gel time tests, 1287
General equation in polycondensation, 557
Glass beads, 615
Glass-fiber reinforced composites, 1541
Glass-transition temperature, 2095
Glass transition temperature (T_g), 1943
Glow discharge treatment, 1529
Glucose oxidase immobilization, 1141
Graft copolymerization, 1123, 645, 1909, 2099
Grafting, 345, 1081, 2099
Grafting parameters, 885
Graft yield, 1123

Hartmann and Haque, semiempirical model, 2075
Heat treatment temperatures (HTT), 2035
Heats of hydration, 321
Heterogeneous catalysis, 201, 217
Heterogeneous–matrix composites, 1683
High-density polyethylene (HDPE), 551
Highly crosslinked fine polymer particles, 2027
High molecular weight PVC (HMW-PVC), 753
High-performance liquid affinity chromatography (AFC), 709
High-temperature dynamic laser light scattering (LLS), 1753
High-temperature stabilities, 1007
Hindered amine light stabilizers (HALS), 403
Homopolymers, 173
Homopolymers, thermal degradation, 485
Horizontally oriented lamellar microdomains, 891
Huggins coefficient, 1115
Hybrid-particulate epoxy composites, 615
Hydraulic fluids (HF), 2115
Hydrogels, 777, 1545, 1851
Hydrogen foams, 971
Hydrophilic polymers, 35
Hydrophilic porous polymer particles, 709
Hydrophobic interactions, 953
Hydrophobic synthetic fibers, 449
Hydrosilylation cure, 971
Hydroxyl-terminated polybutadiene (HTPB), 1611

In situ metathesis polymerization, 1727
In situ modification, of resins, 577
In situ polymerization, 637
Incident light wavelength, 2185
Infrared (IR) spectroscopy, 679
Infrared spectroscopy, 1871
Infrared spectroscopy (IR), 777, 1099, 1863
Injectable collagen biomaterials, 953
Injection molding, 2163
Inorganic amorphous semiconductors, 411
Insoluble amphoteric starches, 1733
Insulation materials, 1493
Intensity–intensity time correlation function, 1753
Interfaces, 699
Interfacial adhesion, 1541
Interfacial agents, 1239
Interfacial polycondensation, 149
Interpenetrating polymer networks (IPNs), 495, 1075, 2143
Intradermal injection, 953
Intramolecular triplet energy transfer, 1989
Inverse suspension polymerization, 1851
Ion exchange membranes, 2129
Ion-exchange reaction, 891
Ionic complex, 891
Ionic groups, 159
Ionizing radiation, 1113
Ion separation, 1923
Irradiation, 1645
Irradiation-induced crosslinking, 1797

Kinetics, 431, 1099, 1611
Kraft lignin solutions, 1131

Langmuir and Freundlich isotherm equations, 735
Langmuir isothermal adsorption, 1733
Latexes, 1207, 1217

Latex particles, 2173
Lennard–Jones (6–12) potential field equation, 1261
Lignin, 1131
Linear low density polyethylene (LLDPE), 817
Liquid crystalline solutions, 607
Liquid crystals (LC), 2217
Liquid-liquid equilibria (LLE), 251
Liquid–liquid phase separation, 1397
Liquid nitroglycerine (NG) migration, 1761
Loss of polymer solubility, 285
Low-frequency glow discharge, 165
Low molecular weight PVC (LMW-PVC), 753

Macrokinetics, 1671
Magnetic composites, 1891
Magnetic latex particles, 765
Mark–Houwink–Sakurada constants, 1115
Matrix elastomer, 1435
Maxillofacial prostheses, 729
Mechanical degradation, 2039
Mechanochemical scission products, 1357
Media mill, 1357
Melt blending, 995
Melt-drawn fibers, 83
Melt-flow rate distributions, 1917
Melt polycondensation, 259
Melt viscosity, 159, 1903, 1943
Membrane coatings, 353
Membrane-reservoir devices, 941
Membranes, 13, 115
Mesomorphic solution, 607
Metal-containing polymers, 1035
Metal-ion loading, 1485
Metal ions, 459, 1113
Metathesis polymerization, 1727
Methylal oxidation, 1299
Methyl methacrylate (MMA)-grafted silk fibers, 885
Michaelis kinetics, 1141
Microbial degradation, 1999
Microcapsules, 353
Microgels, 495
Microphase inversion, 1405
Microporous sheets, 1815
Microsphere functional polymers, 107
Microwave imidization, 419
Microwave technology, 419
Mineralization, 1739
Minimum enthalpy, 949
Miscible blends, 1059
Modified chitosan membranes, 1665
Molecular macrostructure, 1081
Molecular weight, 1, 321, 327, 793, 1379
Molecular weight (MW), 2039
Molecular weight distribution, 1959
Molecular weight distribution (MWD), 381
Monofunctional initiation, 327
Monomer sequencing, 75
Monomers, synthesis, 559
Monomer unit sequence distributions, 2173
Monosize polystyrene microbeads, 303
Monte-Carlo simulation, 75
Moving die rheometer (MDR 2000), 811
Multicomponent polymeric systems, 719
Multipolymers, 1075

Nafion, electrical conductivity, 1445
Nafion 117 H, 1445
Nafion, water sorption, 1445
Natural rubber latex, 845
Near-UV resist, 1007
Negative acting photoresists, 2191
Neutron irradiation, 1281
Neutron magnetic reasonance (NMR), 1099
NMR spectroscopy, 1999
Nonlinear optical (NLO) polymers, 1575
Nonlinear programming, 1959
Non-Newtonian fluids, 1917
Nonsolvent systems, 1693
Normalized translational diffusion coefficient distribution [$G(D)$], 1753
No-swelling treatment, 1909
Novel cycloaliphatic epoxy resins (CE-resins), 875
Nuclear Magnetic Resonance spectrometry (NMR), 1351

Okazaki large spectrograph (OLS), 2185
Olefins, 201, 217
Oligomers, 825
One-component curing system, 875
Optical microscopy, 1863
Optical radiation resistance, 1645
Organic solvent-selective membranes, 1405
Oriented polypropylene-polystyrene (PP)–(PS) composites, 637
Oriented PP–PS composites, 637
Orthonovolaks, 685
Oxetane formation, 1989
Oxidation induction time (OIT), 1493
Oxidative degradation, 1247
Oxidized films, 1871

PAA–iron (II and III) chloride gels, 1331
Pad/batch method, 1841
Parameter βb, 1747
Particle-filled fiber-reinforced polyester composite, flexural behavior, 1159
Particle interaction, 123
Particle shape, 1891
Particle size, 1883
Particle-size analysis, 1863
Particle size distribution, 123
Peel testing, 699
Penetrant parameters, 1781
Perfluoropolyethers, mechanical scission of, 1357
Permeability coefficients, of gases in nylons, 2095
Permeation, of binary mixtures, 1833
Permselective membranes, 897
Pervaporation, 115
Pervaporation separation, 679
Phase diagrams, 251
Phase-domain size, 1397
Phase separation, 13, 1065, 1269, 1397, 1693
Phenol–formaldehyde (PF) resins, 2201

Photoconductive polymers, 1429
Photodegradation, 1857, 2185
Photogenerated acid, 243
Photografting, 1247
Photoinduced cationic polymerization, 243
Photoluminescence, 1591
Photooxidative degradation, 1871
Photoresist, 243
Photoresists, 2191
Photostabilization, 403
Photo-viscoplasticity, 1985
Photovoltaic conversion efficiency, 1429
Pineapple leaf fiber (PALF), 555
Plasma immobilization, 1529
Plasma-induced graft copolymerization, 1141
Plasma modification, 585
Plasma polymerization, 165, 1247
Plasma surface modification, 187, 1747
Plasma treatment, 187
Plastically deforming polymer solids, 1985
Plasticized woods, 7
Plasticizers, 693
Poisson's ratio, 1107
Polarization microscopy (PM), 1179
Polyacetal (POM)/thermoplastic polyurethane (TPU) blends, 2209
Polyacetal resins, 1299, 1307, 1317
Polyacrylic acid modified zinc phosphate crystal conversion coatings, 917
Polyalkylene glycols, 2115
Polyamic acids, 419
Polycarbonate molecular weight, 1379
Polycondensation, 557
Polyelectrolyte complex gel, 2021
Polyesterification, 693, 2007
Polyester-modified poly(ethylene ether carbonate) polyols, 793
Polyester urethane varnishes, 259
Polyether polyurethaneurea (PEUU) elastomers, thermal stability, 1269
Poly(ethylene ether carbonate) polyols, 793
Poly(ethylene terephthalate) (PET), 855
Poly(ethylene terephthalate) (PET) recycling, 1501
Poly(ethylene terephthalate) (PET), solid-state polycondensation, 2135
Polyimide coatings, 419
Polyketones, 1261
Polymer gels, measuring Poisson's ratio, 1107
Polymeric absorbers, 1857
Polymeric flavonoid tannin extracts, 2105
Polymeric melts, 1169
Polymerization mechanisms, 1475
Polymer liquids, 1803
Polymer–polymer interaction parameter, 2197
Polymer–solvent interaction parameter, 2197
Polymethylsilsesquioxane filler, 1815
Poly(N-phenylnorbornene dicarboximide) (PNDI), 1727
Polyolefins, 187
Poly(phenyl ether ether ketone) (PEEK) coatings, 1701
Polypropylene–polystyrene (PP–PS) composites, 637
Polystyrene (PS) oligomers, vacuum pyrolysis, 989
Polytetrafluoroethylene (PTFE), surface activation, 929
Poly(tetrafluoroethylene) (PTFE) transfer films, 1151
Polyurethane foams, 293, 293
Polyurethane (PU) microspheres, 1863
Polyurethane (PU) soft segments, 559
Polyurethane surfaces, 345
Poly(vinyl alcohol) (PVA)–iodine complexes, 1807
Poly(vinyl alcohol) (PVA) membranes, 941
Poly(vinyl chloride) (PVC)/epoxidized natural rubber (ENR) blends, 1369
Pore structure, 1195
Porous particles, 709
Porous polydimethylsiloxane (PDMS) membranes, 971
Positron annihilation lifetime (PAL) technique, 1723
Potassium permanganate–toluene redox system, 645
Powder coating resins, 2007
Precipitation values (PVs), 1693
Precipitation with a compressed fluid antisolvent (PCA), 1929
Preexponential factors, 1565
Prepolymers, 1545
Pressure, influence on ethylene, 217
Pressure–volume–temperature (PVT) behavior, 2075
Prigogine et al. cell models, 2075
Process variables, 759
Protein, 1113
Protein adsorption, 1391
Proton exchange membranes, 2129
Pultrusion process, 759
PVA/PAA blends, 777

Quaternary ammonium salts (QAS), 651, 663, 671

Radiation, 1493
Radiation cross-linking, 233
Radiation grafting, 2129
Radiation-induced sol–gel transition, 1113
Radiation sterilization, 1
Radicalic methyl methacrylate grafting, 1123
Radical-induced copolymerization, 75
Raman and infrared spectroscopy (IRS), 1715
Raman spectroscopy, 917
Random adsorption model, 285
Rare earth-contained catalysts, 2017
Raw materials, conservation, 7
Reaction injection molding (RIM), 1671
Reaction orders, 1565
Reactive compatibilizer, 1369

Reactive processing, 233
Reactor pressure, 217
Recycling, 2135
Refractive index, 1645
Relative solubility determinations, 897
β relaxation, 1591
Residual stresses, 1715
Resins, 67, 373, 469, 477, 577, 627, 685, 1195, 1299, 1307, 1317, 1453, 1511, 1601, 2065, 2201
Resins, thermal behavior, 373
Resins, toughening, 1511
Resists, 1007
Reverse osmosis (RO) membranes, 1013
Rheological behavior, 159
Rheological testing, 1903
Rigid polymers, 271
Ring-opening metathesis polymerization (ROMP), 1727
Ring-opening polymerization, 2017
Rubber, 615
Rubber materials, thermooxidative degradation, 1247
Rubber-modified epoxies, 1951
Rubber–plastic blends, 2055
Rubber vulcanizate, 811

Salt solubility, 1923
Sanchez and Lacombe, lattice-fluid theory, 2075
Sanchez–Lacombe (SL) equation of state, 1781
Scanning electron microscopy (SEM), 1179, 1239, 1343, 1541, 1619, 1863, 1951
Scanning electronic microscopy (SEM), 1917
Scission, 1357
Second harmonic generation (SHG), 1575
Second-order rate equation, 693
Seeded, systems, 2173
Segmented polyurethanes structure–transport properties relations, 1041
Semibatch solution polymerization, 1959
Semicontinuous system, 745
Sephadex, 35
Sequential-interpenetrating polymer networks (IPNs), 2143
Shear stress, 1917
Short fiber-TPE composites, 1435
Side chain attachment, 393
SiH-containing organic oligomer 1, 825
Silicon wafers, 2149
Silk fibers, 885, 949, 1519, 1841
Simha and Somcynsky, hole theory, 2075
Size distributions, 1891
Size exclusion chromatography (SEC), 251, 551, 2039, 2065
Size-exclusion chromatography (SEC), 709
Skin–core morphology, 2163
Small angle light scattering (SALS), 1179
Small-angle X-ray scattering (SAXS), 1797, 2085, 2163
Sodium dioctyl sulfosuccinate (SDOSS) surfactant molecules, 1207
Solid insulating materials, 367
Solid-phase modification, 1665
Solid waste refuse, 1747
Solutions, with suspended particles, 123
Solvent exchange, 1295
Solvent interaction, 41
Solvents, 27, 897, 1115, 1131
Sorption isotherms, 1781
Spacer, 1141
Spherulitic morphology, 1977
Spinodal decomposition (SD), 1397
Star core, 1977
Star-shaped condensation polymers, 1977
Steady-state permeation rates (SSPR), of solvents, 531
Stress distribution, 1985
Stress–optic relation, 1985
Stress relaxation, 2209
Stress–strain relationships, 1159
Styrene-based, amino-functional copolymers, 835
Superabsorbent polymers, 1851
Surface activation, 929
Surface dynamics, 585
Surface modification, 1247
Surface oxidation, 181
Surface segregation, 1619
Surfactant molecules, 1217
Suspension polymerization, 107
Swelling, 35, 729, 2021
Swelling behaviors, 1107
Swelling equilibrium, 2197

Tackiness, 1619
Tait equation, 2075
Tannin–formaldehyde resins, 2105
Temperature dependence, 1803
Temperature rising elution fractionation (TREF), 817
Temperature variation, influence on ethylene, 201
Tensile property measurements, 1999
Tensile strain rates, 57
Tensile tests, 1541
Textile fiber, 555
Thermal degradation, 485, 1565
Thermal degradation kinetics, 685
Thermal denaturation, 1969
Thermal gelation, 953
Thermal gravimetric analysis (TGA), 777, 1841
Thermal imidization, 419
Thermal kinetics, 1461
Thermal rating, 367
Thermal stability, 1075, 1883
Thermally stimulated depolarization currents (TSDC), 1281
Thermally weak structures, identification, 1475
Thermogravimetric analysis (TGA), 367, 373, 485, 981, 1565, 1863, 2121, 2129
Thermogravimetry, 459
Thermomechanical analysis (TMA), 503
Thermoplastic-modified epoxy resins, 1065
Thermoplastic poly(imide–siloxanes) (PISILs), thermal stability, 1461
Thermoset prepreg cures, 1555
Thermoset resins, 1555

Thermotropic liquid crystalline polymers (TLCPs), 1917
Thermotropic liquid crystalline polymer (TLCP) fibers, 1225
Thermotropic liquid crystal polymer (TLCP), 83
Three-dimensional (3-D) solubility parameters, 513, 531
Time-resolved mechanical spectrometry, 1397
Toluene diisocyanate (TDI), 1611
Tooth dentin, 1331
Tough multiphase blend systems, 1233
TPUISAN blends, structure–property relationships, 719
Transcrystallinity, 1187
Transesterification/ advancement reactions, 793
Transformation products, of dithio- and thionophosphoric acids, 1823
Transition metal ions, 459
Triplet-sensitized decomposition, 1989
Ultrafiltration, 765
Ultrahigh molecular weight polyethylene (UHMWPE), 1797
Ultrasonic velocity measurements, 41
Ultraviolet (UV) absorbers, 1857
Ultraviolet (UV) spectroscopy, 459
Ultraviolet/visible absorption, 1281
Uniaxial extension, 855
Unplasticized poly(vinyl chloride) (uPVC) pipes, 2223
Unreacted PC/PBT blends, 995
Unsaturated halo polyesters, 1655
Unsaturated nonhalo polyesters, 1655
Unsaturated polyesters, 1287
Unseeded systems, 2173
Urea condensation, 2201
Urea–formaldehyde (UF) resin strength, 907

Vacuum pyrolysis, 989
Vapor diffusivity, 271
Vapor–liquid equilibrium, 1307
Vibration damping properties, of composites, 277
Viscoelastic deformation, 1683, 1683
Viscosity, 123
Viton® gloves, 513, 531

Wall slip behavior, 1169
Water reticulation, 2223
Water-soluble polymeric drug carriers, 393
Water vapor diffusion, 271
Weight-averaged molecular weight, 1131
Weight gain, 1519
Wet spinning, 1773

X-ray diffraction, 271
X-ray photoelectron spectroscopy, 585
X-ray photoelectron spectroscopy (XPS), 1343, 1351, 1619, 2149

Yield stress, 855
Young's modulus, 615, 855, 1797

Zwitterionic clay, 95

Journal of Applied Polymer Science

Author Index to Volume 50

Abbott, R. F. See Vickroy, V. V., 551

Abd El-Kader, F. H.
—; Attia, G.; Ibrahim, S. S.: Optical Absorption and Thermally Stimulated Depolarization Current Studies of Nickel Chloride–Doped Poly(vinyl alcohol) Irradiated with Low-Level Fast Neutron Doses, 1281

Abdel-Hady, E. E. See El-Sayed, A. M. A., 1723

Abdel-Rehim, S. A.
—; Ahmed, N. A.; Hammad, S. M.; Askalany, Z. M.: Crystallinity, Particle Size, and Mechanical Properties of Fibers in Some Egyptian and American Cotton Cultivars, 49

Agrawal, J. P.
—; Kulkarni, K. S.: Comparative Study of Unsaturated Halo and Nonhalo Polyesters and Inhibition of Double-Base Rocket Propellants, 1655

Ahmed, N. A. See Abdel-Rehim, S. A., 49

Akar, A. See Kizilcan, N., 577

Akiyama, S. See Kano, Y., 1619

Akovali, G.
—; Aslan, S.: A Compatibility Study of Waste Poly(Ethylene-Terephthalate) with Poly(Vinylchloride), 1747

Al-Malaika, S.
—; Coker, M.; Scott, G.; Smith, P.: Mechanisms of Antioxidant Action: Nature of Transformation Products of Dithiophosphates. Part III. The Antioxidant Action of Dithio and Thio/Thionophosphoric Acids, 1823

Amaya, N. See Choi, C. H., 2217

Amendola, E.
—; Carfagna, C.; Netti, P.; Nicolais, L.; Saiello, S.: The Influence of a Copolymer as Adhesion Promoter for Polycarbonate and Liquid Crystalline Polymer Blends, 83

Andreassen, E.
—; Myhre, O. J.: Infrared Spectroscopy Measurements of Residual Stresses in Polypropylene Fibers, 1715

Andreopoulos, A. G.
—; Polyzois, G. L.; Evangelatou, M.: Swelling Properties of Cross-Linked Maxillofacial Elastomers, 729

Antunes, I. See Pizzi, A., 2201

Arai, H. See Ito, Y., 1989

Arindam See Kumar, G., 2209

Asakura, H. See Yanase, N., 765

Ashida, M. See Guo, W., 1435

Askalany, Z. M. See Abdel-Rehim, S. A., 49

Askari, F.
—; Nafisi, S.; Omidian, H.; Hashemi, S. A.: Synthesis and Characterization of Acrylic-Based Superabsorbents, 1851

Aslan, S. See Akovali, G., 1747

Asrar, J.
—; Hurlbut, J. B.: Synthesis, Rheology, and Physical Properties of a Metathesis Polymer, 1727

Attia, G. See Abd El-Kader, F. H., 1281

Atvars, T. D. Z. See Martins-Franchetti, S. M., 1591

Bac, N. V.
—; Terlemezyan, L.; Mihailov, M.: Epoxidation of Natural Rubber in Latex in the Presence of a Reducing Agent, 845

Bajpai, U. D. N.
—; Nivedita, Ms.: Synthesis of Plasticizing Polyesters of Dimer Acid and Propane-Diol, 693

Bastuğ, N. See Sacak, M., 1123

Bayramli, E. See Chen, Y., 1169

Beccat, P. See McGarvey, C., 2149

Beck, H. N.: Solubility Characteristics of Poly(4-Methyl-1-Pentene), 897

Beckman, E. J. See Diaf, A., 835

Beladakere, N. N. See Misra, S. C. K., 411

Berenguer, V. See Jiménez, A., 1565

Bernardin, F. E. See Geveke, D. J., 251

Bhama Iyer, P.
—; Krishna Iyer, K. R.; Patil, N. B.: What Is the True Spiral Angle in Cotton? Does Solvent Exchange Alter It? (Note), 1295

Bhat, N. V.
—; Joshi, N. V.: Investigation of the Properties of Polyacrylamide–Polyaniline Composite and Its Application as a Battery Electrode, 1423

Bhowmick, A. K.
—; Chiba, T.; Inoue, T.: Reactive Processing of

Rubber–Plastic Blends: Role of Chemical Compatibilizer, 2055
Bikiaris, D. N. See Karayannidis, G. P., 2135
Biswas, M. See Mukherjee, A., 1485
Bo, Q. See Yang, S., 1883
Bobev, K. See Radeva, E., 165
Bosnyak, C. P. See Li, R., 1233
Boutevin, B.
—; Parisi, J. P.; Robin, J. J.; Roume, C.: Synthesis and Properties of Multiacrylic Resins from Epoxy Resins, 2065
Braam, Ad W. M.
—; Scholtens, B. J. R.: Model Esterification of Isophthalic and Terphthalic Acid with Benzyl Alcohol, 2007
Braatz, J. A.: A Simple Method for Determining Water-Induced Gelling Times of Isocyanate Prepolymers, 1545
Buchanan, C. M. See Komarek, R. J., 1739
Bulay, A. See Peniche, C., 485, 2121
Bulte, A. M. W.
—; Folkers, B.; Mulder, M. H. V.; Smolders, C. A.: Membranes of Semicrystalline Aliphatic Polyamide Nylon 4,6: Formation by Diffusion-Induced Phase Separation, 13
Burns, C. M. See Kim, W. N., 1951
Busson, R. See Van Dam, J., 2115

Caldwell, G.
—; Neuse, E. W.; Stephanou, A.: Synthesis of Water-Soluble Polyamidoamines for Biomedical Applications. II. Polymers Possessing Intrachain-Type Secondary Amino Groups Suitable for Side-Chain Attachment, 393
Cameron, C.: Note on the Paper "A General Equation in Polycondensation" (Note), 557
Cameron, J. A. See Chen, X., 1999
Carbonell, R. G. See Hariharan, R., 1781
Carciello, N. R. See Sugama, T., 1701
Cardi, N.
—; Po, R.; Giannotta, G.; Occhiello, E.; Garbassi, F.; Messina, G.: Chain Extension of Recycled Poly(ethylene terephthalate) with 2,2′-Bis(2-oxazoline), 1501
Carfagna, C. See Amendola, E., 83
Cauich-Rodríguez, J. V. See Vázquez-Torres, H., 777
Caulfield, D. F. See Quillin, D. T., 1187
Chamberlain, J. E. See Wragg, J. L., 917
Chan, W.-C.: Removal and Recovery of Gallium Ion From Solution by Insoluble Amphoteric Starches, 1733
Chanda, M. See Khanna, U., 1635
Chandra, S. See Misra, S. C. K., 411
Chang, C. L.
—; Chiu, W. Y.; Hsieh, K. H.; Ma, C. C. M.: The Molecular Orientation and Mechanical Properties of Poly(ethylene Terephthalate) Under Uniaxial Extension, 855
Chang, C.-H. See Lee, W.-F., 259
Chang, F.-C. See Wu, J.-S., 1379
Chann, L. See Wragg, J. L., 917
Chao, W. Y. See Hon, D. N.-S., 7
Chee, K. K.
—; Ng, S. C.: Study of Solution Properties of Poly(α-methyl styrene) in Various Solvents by Dilute-Solution Viscometry, 1115
Chen, C.-H.
—; Ma, C.-C. M.: The Development of a Mathematical Model for the Pultrusion of Blocked Polyurethane Composites, 759
Chen, C.-Y. See Yeh, J.-L., 1671
Chen, H.
—; Chen, J.-M.: Synthesis and Properties of Polyurethane–Polystyrene-Grafted Interpenetrating Polymer Networks Using a Microgel Process, 495
Chen, I. See Lee, W.-F., 259
Chen, J.-M. See Chen, H., 495
Chen, K. M. See Hwang, M. C., 735
Chen, X.
—; Gonsalves, K. E.; Cameron, J. A.: Further Studies on Biodegradation of Aliphatic Poly(Ester-Amides), 1999
—; Van De Mark, M. R.: Tetrabutylammonium Benzoate-Initiated Polymerization of Propylene Oxide, 1923
Chen, Y.
—; Kalyon, D. M.; Bayramli, E.: Effects of Surface Roughness and the Chemical Structure of Materials of Construction on Wall Slip Behavior of Linear Low Density Polyethylene in Capillary Flow, 1169
Chen, Y.-H. See Yang, C.-P., 469
Chetan, M. S.
—; Ghadage, R. S.; Rajan, C. R.; Gunjikar, V. G.; Ponrathnam, S.: Thermolysis of Orthonovolaks. II. Phenol–Formaldehyde and α-Naphthol–Formaldehyde Resins, 685

Chiang, W.-Y.
—; Lu, J.-Y.: Poly(*N*-phenolicmaleimide) for High-Temperature Stable Near-UV Resist, 1007
—; Mei, W.-P.: Benzophenone-Containing Methylthiomethyl Pendant Polyimides as Negative Acting Photoresists, 2191
Chiba, M. See Iwahara, T., 825
Chiba, T. See Bhowmick, A. K., 2055
Chihani, T.
—; Flodin, P.; Hjertberg, T.: Modification of Epoxy Surfaces with Different Polyvinylalcohol Polymers, 1343
—; Hjertberg, T.: An XPS Study of Different Polyvinylalcohol Films' Surface Composition, 1351
Chiu, W. Y. See Chang, C. L., 855; Han, J. L., 1099
Cho, B. See Lee, M. H., 1803
Cho, W. J. See Park, C. K., 1239
Chohno, M. See Masamoto, J., 1299
Choi, C. H.
—; Kim, B. K.; Kikuchi, H.; Kajiyama, T.; Amaya, N.; Murata, Y.: Electrooptical Properties of Poly(diisopropyl Fumarate-*co*-Styrene)/Cyanobiphenyl-Type Liquid Crystal Composite Films, 2217
Choi, D.
—; Lee, E. J.; Kim, K.-A.; Park, S. Y.; Kim, N.: Photoconductivity and Photovoltaic Effect of Charge-Transfer Complex of Poly[4-phenyl-2,6-(*p*-phenoxy)quinoline] and 2,3-Dichloro-5,6-dicyano-1,4-benzoquinone, 1429
Choi, S.-K. See Gal, Y.-S., 601
Choudhary, V.
—; Gupta, R.: Interpenetrating Polymer Networks from Hydroxy-Terminated Polybutadiene-Based Polyurethanes and Poly(methyl methacrylate), 1075
Choudhury, P. See Nayak, P. L., 373
Chu, C.-H. See Sakiyama, T., 2021
Chudnovsky, A. See Li, R., 1233
Chung, H. L.
—; Kawata, K.; Itabashi, M.: Tensile Strain Rate Effect in Mechanical Properties of Dummy HTPB Propellants, 57
Coker, M. See Al-Malaika, S., 1823
Coleman, M. R.
—; Kohn, R.; Koros, W. J.: Gas-Separation Applications of Miscible Blends of Isomeric Polyimides, 1059
Cruz-Ramos, C. A. See Vázquez-Torres, H., 777
Cuculo, J. A. See Laszkiewicz, B., 27

Daenens, P. See Van Dam, J., 2115
Daghistani, A. Y. See Moharram, M. A., 459
Danner, R. P. See Geveke, D. J., 251
Das, B. K. See Saha, S. C., 555
Dave, M. See Suthar, B., 2143
De, P. P. See Roychoudhury, A., 181
De, S. K. See Mallick, A., 1627; Ramesh, P., 1369; Roychoudhury, A., 811
De Beer, G. See Pizzi, A., 2201
Deki, S. See Matsushita, S., 1969
Del Nobile, M. A.
—; Mensitieri, G.; Nicolais, L.; Sommazzi, A.; Garbassi, F.: Gas-Transport Properties of Ethylene/Propylene/Carbon Monoxide Polyketone Terpolymer, 1261
Devereux, B. See Rosenblatt, J., 953
Devi, S. See Joseph, R., 173
Diaf, A.
—; Enick, R. M.; Beckman, E. J.: Molecular Redesign of Expanded Polystyrene to Allow Use of Carbon Dioxide as a Foaming Agent. 1. Reversible Binding of CO_2, 835
Dillard, D. A. See Dounis, D. V., 293
Dixon, D. J.
—; Johnston, K. P.: Microporous Polymer Fibers and Oriented Fibrils by Precipitation with a Compressed Fluid Antisolvent, 1929
Dong, D.
—; Fricke, A. L.: Investigation of Optical Effect of Lignin Solution and Determination of $\bar{M}_w$ of Kraft Lignin by Lalls, 1131
Dounis, D. V.
—; Moreland, J. C.; Wilkes, G. L.; Dillard, D. A.; Turner, R. B.: The Mechano-Sorptive Behavior of Flexible Water-Blown Polyurethane Foams, 293
Doyle, T. E. See Mason, L. R., 1493
Dunn, E. J.
—; Zhang, X.; Sun, D.; Goosen, M. F. A.: Synthesis of *N*-(aminoalkyl)chitosan for Microcapsules, 353
Dusseault, J. J. A.
—; Hsu, C. C.: Gas-Phase Polymerization of Ethylene Using $MgCl_2$/Ethyl Benzoate/$TiCl_4$ + Triethylaluminum Catalyst: Effects of Triethylaluminum and Temperature, 431

East, G. C.
—; Qin, Y.: Wet Spinning of Chitosan and the

Acetylation of Chitosan Fibers, 1773
Eichler, S.
—; Miltz, J.: Prediction of Gas Permeability of Nylon From Glass-Transition Temperature, 2095
Ekman, K. B.
—; Näsman, J. H.: Radiation Cross-Linking of Ethylene Vinyl Alcohol Copolymer Functionalized with *m*-Isopropenyl-α,α-Dimethyl Benzyl Isocyanate, 233
El-Aasser, M. S. See Hattori, M., 2027
El-Rafie, M. H. See Hebeish, A., 2099
El-Sayed, A. M. A.
—; Abdel-Hady, E. E.; Mohsen, M.: Study of the Electric-Field Effect in Polyethylene by the Positron Annihilation Technique, 1723
Enick, R. M. See Diaf, A., 835
Epstein, M.
—; Shishoo, R. L.: Measurement of Adhesion Between Fibers and Fast Curing Elastomer Resin, 863
Eromosele, I. C.
—; Hamagadu, T. J.: Graft Copolymerization of Methylmethacrylate onto Caesarweed Fibers by the Potassium Permanganate–Toluene Redox System, 645
Estenoz, D. A.
—; Meira, G. R.: Grafting of Styrene onto Polybutadiene: Calculation of the Molecular Macrostructure, 1081
Evangelatou, M. See Andreopoulos, A. G., 729

Fagerburg, D. R.
—; Watkins, J. J.; Lawrence, P. B.: Melt Viscosity Increase During Rheological Testing of Poly(phenylene sulfide), 1903
Fälden-Nylund, M. See Wilén, C.-E., 1541
Fang, D. See Yang, S., 1883
Feijen, J. See Terlingen, J. G. A., 1529
Felix, J. M.
—; Gatenholm, P.: Formation of Entanglements at Brushlike Interfaces in Cellulose–Polymer Composites, 699
Feng, D. See Wang, J., 585
Fenwick, D.
—; Ihn, K. J.; Motamedi, F.; Wittmann, J.-C.; Smith, P.: Characterization of Friction-Deposited Polytetrafluoroethylene Transfer Films, 1151
Ferg, E. E.
—; Pizzi, A.; Levendis, D. C.: ^{13}C NMR Analysis Method for Urea–Formaldehyde Resin Strength and Formaldehyde Emission, 907
Fiorini, M. See Munari, A., 159
Fiske, T. J. See Göktürk, H. S., 1891
Flodin, P. See Chihani, T., 1343
Florea, M.: New Use of Size Exclusion Chromatography in Kinetics of Mechanical Degradation of Polymers in Solution, 2039
Folkers, B. See Bulte, A. M. W., 13
Fornes, R. E. See White, D. F., 541
Freddi, G. See Tsukada, M., 885, 1519, 1841
Freeman, B. D. See Hariharan, R., 1781
Freij-Larsson, C.
—; Wesslén, B.: Grafting of Polyurethane Surfaces with Poly(Ethylene Glycol), 345
Fricke, A. L. See Dong, D., 1131
Fueki, K. See Torikai, A., 2185
Fujii, N. See Kobayashi, T., 971
Fujii, T. See Sakiyama, T., 2021
Fukutani, H. See Tokizawa, M., 627

Gal, Y.-S.
—; Choi, S.-K.: Electrical Conductivity and Spectral Properties of Iodine-Doped Poly(2-ethynylpyridine), 601
Galioğlu, O. See Kizilcan, N., 577
Galland, G.
—; Lam, T. M.: Permeability and Diffusion of Gases in Segmented Polyurethanes: Structure–Properties Relations, 1041
Gao, H.
—; Xu, Y.; Liao, S.; Liu, R.; Yu, D.: Catalytic Hydrogenation and Gas Permeation Properties of Metal-Containing Poly(phenylene oxide) and Polysulfone, 1035
Garbassi, F. See Cardi, N., 1501; Del Nobile, M. A., 1261
Gardner, R. M. See Komarek, R. J., 1739
Gatenholm, P. See Felix, J. M., 699
Gaynor, J.
—; Schueneman, G.; Schuman, P.; Harmon, J. P.: Effects of Fluorinated Substituents on the Refractive Index and Optical Radiation Resistance of Methacrylates, 1645
Gedam, P. H. See Kishanprasad, V. S., 419
Gedon, S. See Komarek, R. J., 1739
Gerard, J. F. See Maazouz, A., 615
Geveke, D. J.
—; Bernardin, F. E.; Danner, R. P.: Ternary Phase Equilibria of Tetrahydrofuran-Polystyrene-Polytetrahydrofuran, 251
Ghadage, R. S. See Chetan, M. S., 685
Giannotta, G. See Cardi, N., 1501

Gilbert, R. D. See White, D. F., 541
Goh, S. H. See Lau, W. W. Y., 403
Göktürk, H. S.
—; Fiske, T. J.; Kalyon, D. M.: Effects of Particle Shape and Size Distributions on the Electrical and Magnetic Properties of Nickel/Polyethylene Composites, 1891
Gonsalves, K. E. See Chen, X., 1999
Goosen, M. F. A. See Dunn, E. J., 353
Gorda, K. R.
—; Peiffer, D. G.: Star-Shaped Condensation Polymers: Synthesis, Characterization, and Blend Properties, 1977
Goswami, K. See Saha, S. C., 555
Goto, Y. See Tsukada, M., 1841
Gu, J.-T.
—; Wang, C.-S.: The Interfacial Polycondensation of Tetrabromobisphenol-A Polycarbonate. II. Reactivities and Phase Distribution of Catalysts, 149
Gunjikar, V. G. See Chetan, M. S., 685
Guo, W.
—; Ashida, M.: Dynamic Viscoelasticities for Short Fiber–Thermoplastic Elastomer Composites, 1435
Gupta, A.
—; Simpson, D. M.; Harrison, I. R.: A Morphological Study of HDPE-Blown Films Using Small-Angle X-Ray Scattering, 2085
Gupta, B.
—; Scherer, G. G.: Proton Exchange Membranes by Radiation Grafting of Styrene onto FEP Films. I. Thermal Characteristics of Copolymer Membranes, 2129
Gupta, R. See Choudhary, V., 1075
Güthner, T.
—; Hammer, B.: Curing of Epoxy Resins with Dicyandiamide and Urones, 1453

Ha, C. S. See Park, C. K., 1239
Habert, A. C. See Neves, C. J., 817
Hamada, Y. See Ogawa, T., 981
Hamagadu, T. J. See Eromosele, I. C., 645
Hamielec, A. E. See Villalobos, M. A., 327
Hammad, S. M. See Abdel-Rehim, S. A., 49
Hammer, B. See Güthner, T., 1453
Han, D. H. See Lee, M. H., 1803
Han, J. L.
—; Hsieh, K. H.; Chiu, W. Y.: Kinetics of Curing Reaction of Epoxide Catalyzed by Tertiary Amine, 1099
Hariharan, R.
—; Freeman, B. D.; Carbonell, R. G.; Sarti, G. C.: Equation of State Predictions of Sorption Isotherms in Polymeric Materials, 1781
Harmon, J. P. See Gaynor, J., 1645
Harris, R. F.: Polyester-Modified Poly(ethylene ether carbonate) Polyols by Molecular Weight Advancement, 793
—; Lopez, K. M.: Specialty Polyurethane Soft Segments. IV. Reactions of Aminated Poly(Propylene Glycols) with Isatoic Anhydride, 559
Harrison, I. R. See Gupta, A., 2085
Hashemi, S. A. See Askari, F., 1851
Hattori, M.
—; Sudol, E. D.; El-Aasser, M. S.: Highly Crosslinked Polymer Particles by Dispersion Polymerization, 2027
Hazziza-Laskar, J.
—; Nurdin, N.; Helary, G.; Sauvet, G.: Biocidal Polymers Active by Contact. I. Synthesis of Polybutadiene with Pendant Quaternary Ammonium Groups, 651
Hebeish, A.
—; El-Rafie, M. H.; Zahran, M. K.: Pentavalent Vanadium Ion–Cellulose Thiocarbonate Redox-System Induced Grafting of Methyl Methacrylate and Other Vinyl Monomers Onto Cotton Fabric, 2099
Helary, G. See Hazziza-Laskar, J., 651; Nurdin, N., 663, 671
Herzog, F. See Wenig, W., 2163
Hjertberg, T. See Chihani, T., 1343, 1351
Ho, T.-H.
—; Wang, C.-S.: Toughening of Epoxy Resins by Modification with Dispersed Acrylate Rubber for Electronic Packaging, 477
Hodgkin, J. H. See Min, B.-G., 1065, 1511
Hoffman, A. S. See Terlingen, J. G. A., 1529
Hon, D. N.-S.
—; Chao, W. Y.: Composites from Benzylated Wood and Polystyrenes: Their Processability and Viscoelastic Properties, 7
Horáček, I.
—; Kudláček, L.: Influence of Molecular Weight on the Resistance of Polylactide Fibers by Radiation Sterilization, 1
Hsieh, K. H. See Chang, C. L., 855; Han, J. L., 1099
Hsiue, G.-H. See Wang, C.-C., 1141
Hsu, C. C. See Dusseault, J. J. A., 431

Hsu, W. P.
—; Xu, Z. S.; Okamoto, Y.; Myerson, A. S.; Kwei, T. K.: Structural Effects on Vapor Diffusivity in Rigid Polymers, 271
Hu, Z. See Li, Y., 1107
Huang, W.
—; Zhan, F.: Studies on the Dynamic Mechanical and Vibration Damping Properties, of Composites of Polyether Urethane and Epoxy Composites, 277
Huang, Y. See Jiang, S. H., 607
Hurlbut, J. B. See Asrar, J., 1727
Hwang, M. C.
—; Chen, K. M.: The Removal of Color from Effluents Using Polyamide–Epichlorohydrin-Cellulose Polymer. III. Use in Anionic Dye Removal in a Batch Process, 735

Ibrahim, S. S. See Abd El-Kader, F. H., 1281
Ihn, K. J. See Fenwick, D., 1151
Immelman, E.
—; Sanderson, R. D.; Jacobs, E. P.; Van Reenen, A. J.: Poly(vinyl alcohol) Gel Sublayers for Reverse Osmosis Membranes. I. Insolubilization by Acid-Catalyzed Dehydration, 1013
Incardona, S. See Teishev, A., 503
Inoue, K.
—; Takahata, H.; Tanigaki, T.: Novel UV Absorbers Prepared from 2,4-Dihydroxybenzophenone and Hexachlorocyclotriphosphazene, 1857
Inoue, T. See Bhowmick, A. K., 2055
Ishiguro, Y. See Tsukada, M., 1519
Ishihara, T. See Kubota, N., 1665
Ishizu, K.
—; Yamada, Y.; Saito, R.: Conducting Diblock Copolymers with Ionic Complex/Insulator Lamellar Microdomains, 891
Itabashi, M. See Chung, H. L., 57
Ito, Y.
—; Kusunaga, Y.; Tabata, K.; Arai, H.; Meng, J.-B.; Matsuura, T.: Oxetane Formation by Addition of *N*-Substituted Imidazoles to Benzophenone and Poly(4-Vinylbenzophenone)s, 1989
Ivanova, E. See Li, R., 1233
Iwahara, T.
—; Kusakabe, M.; Chiba, M.; Yonezawa, K.: Curing System Involving SiH-Containing Organic Oligomers, 825
Iwaisako, T. See Masamoto, J., 1299, 1317

Jaber, I. A.
—; Ray, W. H.: Polymerization of Olefins through Heterogeneous Catalysis. XIV. The Influence of Temperature in the Solution Copolymerization of Ethylene, 201
—; Ray, W. H.: Polymerization of Olefins through Heterogeneous Catalysis. XV. The Influence of Pressure in the Solution Copolymerization of Ethylene, 217
Jacobs, E. P. See Immelman, E., 1013
Jadav, K. See Suthar, B., 2143
Jain, M. See Mehrotra, K. N., 41
Jang, S.-S.
—; Tan, D.-M.; Wei, I.-J.: Optimal Operations of Semibatch Solution Polymerization of Acrylamide with Molecular Distribution as Constraints, 1959
Jelčić, Ž. See Žerjal, B., 719
Jiang, B. See Xie, R., 1397; Zhao, Y., 1797
Jiang, S. H.
—; Huang, Y.: Formation and Textures of Ethyl–cyanoethyl Cellulose/Acrylic Acid Mesophase, 607
Jiménez, A.
—; Berenguer, V.; López, J.; Sánchez, A.: Thermal Degradation Study of Poly(vinyl Chloride): Kinetic Analysis of Thermogravimetric Data, 1565
Jin, Y. See Li, F., 2017
Johnson, R. D. See Karis, T. E., 1357
Johnston, K. P. See Dixon, D. J., 1929
Joo, H.-J. See Rhim, J.-W., 679
Joseph, R.
—; Devi, S.; Rakshit, A. K.: Synthesis and Characterization of Homopolymers and Copolymers of Various Acrylates and Acrylonitrile, 173
Joshi, M. V.
—; Mukesh, D.: Experimental and Modeling Studies on Styrene–Butyl Methacrylate Copolymerization Reaction, 75
Joshi, N. V. See Bhat, N. V., 1423

Kagawa, K. See Masamoto, J., 1317
Kahraman, R. See Tuncel, A., 303
Kajiyama, T. See Choi, C. H., 2217
Kalyon, D. M. See Chen, Y., 1169; Göktürk, H. S., 1891
Kamiyama, M.
—; Koyama, K.; Matsuda, H.; Sano, Y.: Micron-Sized

Polymeric Microsphere by Suspension Polymerization, 107

Kanaji, Y. See Matsushita, S., 1969

Kano, Y.
—; Akiyama, S.; Kasemura, T.: Surface Segregation and Tackiness in Blends of Poly(Vinylidene Fluoride-*co*-Hexafluoro Acetone) with Poly(2-Ethylhexyl Acrylate-*co*-Acrylic Acid-*co*-Vinyl Acetate), 1619

Karayannidis, G. P.
—; Kokkalas, D. E.; Bikiaris, D. N.: Solid-State Polycondensation of Poly(Ethylene Terephthalate) Recycled from Postconsumer Soft-Drink Bottles. I., 2135

Karis, T. E.
—; Novotny, V. J.; Johnson, R. D.: Mechanical Scission of Perfluoropolyethers, 1357

Kasai, N. See Tsukada, M., 885

Kasemura, T. See Kano, Y., 1619

Kato, H. See Torikai, A., 2185

Katsikas, L. See Popović, I. G., 1475

Kawabata, N. See Uramoto, H., 115

Kawamura, M. See Masamoto, J., 1299

Kawata, K. See Chung, H. L., 57

Kawatsuki, N.
—; Schmidt, H.-W.; Pakbaz, K.: Crosslinkable, Nonlinear Optical Copolymers: Processing, Corona Poling, and Second Harmonic Generation Studies, 1575

Kerres, J. A.
—; Strathmann, H.: Synthesis and Properties of a New AB-Cross-Linked Copolymer Membrane System, 1405

Kestelman, V. N. See Letyagin, S. V., 2035

Khanna, U.
—; Chanda, M.: A Kinetic Scheme for Anhydride Curing of Diglycidyl Ester with Tertiary Amine as Catalyst, 1635

Kikuchi, H. See Choi, C. H., 2217

Kikuchi, Y. See Kubota, N., 1665

Kim, B. K. See Choi, C. H., 2217

Kim, H. S.: On the Initial Flaw Sizes of uPVC Pipe Materials (Note), 2223

Kim, K.-A. See Choi, D., 1429

Kim, N. See Choi, D., 1429

Kim, W. N.
—; Park, C. E.; Burns, C. M.: Thermal Behavior and Morphology of Rubber-Modified Epoxies, 1951

Kimura, T. See Tokizawa, M., 627

Kishanprasad, V. S.
—; Gedam, P. H.: Polyamic Acids: Thermal and Microwave Imidization and Film Properties, 419

Kizilcan, N.
—; Galioğlu, O.; Akar, A.: Modified Cyclohexanone–Formaldehyde and Acetophenone–Formaldehyde Resins, 577

Ko, S. W. See Lee, H. K., 1269

Kobayashi, T.
—; Saitoh, H.; Fujii, N.: Porous Membrane of Polydimethylsiloxane by Hydrosilylation Cure: Characteristics of Membranes Having Pores Formed by Hydrogen Foams, 971

Kohn, R. See Coleman, M. R., 1059

Koike, T.: Determination of Glass Transition Temperature from Viscosity and Conductivity Measurements for an Epoxy–Amine System During Curing, 1943

Kojima, T.
—; Masuda, K.; Tago, K.: Swelling of Poly[Methacrylic Acid-co-poly(oxytetramethylene) Dimethacrylate]s, 2197

Kokkalas, D. E. See Karayannidis, G. P., 2135

Komarek, R. J.
—; Gardner, R. M.; Buchanan, C. M.; Gedon, S.: Biodegradation of Radiolabeled Cellulose Acetate and Cellulose Propionate, 1739

Koros, W. J. See Coleman, M. R., 1059

Koseki, K. See Naitoh, K., 243

Kothandaraman, H.
—; Nasar, A. S.: The Kinetics of the Polymerization Reaction of Toluene Diisocyanate With HTPB Prepolymer, 1611

Koutsky, J. A. See Quillin, D. T., 1187

Koyama, K. See Kamiyama, M., 107

Krishna Iyer, K. R. See Bhama Iyer, P., 1295

Krishna Moorthy, P. A. See Shrinet, V., 367

Kryszewski, M. See Trznadel, M., 637

Kubota, N.
—; Kikuchi, Y.; Mizuhara, Y.; Ishihara, T.; Takita, Y.: Solid-Phase Modification of Chitosan Hydrogel Membranes and Permeability Properties of Modified Chitosan Membranes, 1665

Kudláček, L. See Horáček, I., 1

Kuga, S. See Shibazaki, H., 965

Kulkarni, K. S. See Agrawal, J. P., 1655

Kumar, G.
—; Arindam; Neelakantan, N. R.; Subramanian, N.: Stress Relaxation Behavior of Polyacetal–Thermoplastic

Polyurethane Elastomer Blends, 2209
Kumar, R. A. See Misra, A., 1179
Kunkel, J. P.
—; Urban, M. W.: Surface and Interfacial FT–IR Spectroscopic Studies of Latexes. VIII. The Effect of Particle and Copolymer Composition on Surfactant Exudation in Styrene-*n*-Butyl Acrylate Copolymer Latex Films, 1217
Kuo, J.-F. See Yeh, J.-L., 1671
Kuo, P.-L.
—; Wey, B.-S.: Functional Polymers for Colloidal Application. VIII. Syntheses of Anionic and Zwitterionic Aniline–Formaldehyde Condensates and Their Dispersing Ability to Zwitterionic Clay, 95
Kusakabe, M. See Iwahara, T., 825
Kusunaga, Y. See Ito, Y., 1989
Kwei, T. K. See Hsu, W. P., 271

Lacoste, J. See Singh, R. P., 1871
Lam, T. M. See Galland, G., 1041
Laszkiewicz, B.
—; Cuculo, J. A.: Solubility of Cellulose III in Sodium Hydroxide Solution, 27
Lau, W. W. Y.
—; Lee, C. S.; Goh, S. H.; Lee, S. Y.; Pan, J.; Song, Y.: Characterization of New Hindered Amine Light Stabilizers, 403
Lawrence, P. B. See Fagerburg, D. R., 1903
Lee, C. S. See Lau, W. W. Y., 403
Lee, E. J. See Choi, D., 1429
Lee, H. K.
—; Ko, S. W.: Structure and Thermal Properties of Polyether Polyurethaneurea Elastomers, 1269
Lee, J. K. See Park, C. K., 1239
Lee, K.-H. See Rhim, J.-W., 679
Lee, M. H.
—; Han, D. H.; Cho, B.: The Temperature Dependence of the Doolittle Equation Parameter for Polymer Liquids, 1803
Lee, P. I.: Poly(Vinyl Alcohol) Membrane Systems for the Controlled Release of Chlorinated Isocyanurates, 941
Lee, S. Y. See Lau, W. W. Y., 403
Lee, W.-F.
—; Chen, I.; Chang, C.-H.: Synthesis and Curing Behavior of Diimide–Diacid-Modified Saturated Polyester, 259
Lee, Y. M.
—; Moon, Y. D.; Park, C. K.: Preparation and Thermal Kinetics of Poly(imide–siloxanes), 1461
Letyagin, S. V.
—; Shevchenko, V. G.; Ponomarenko, A. T.; Kestelman, V. N.: Carbon Fiber Heat Treatment Temperature and Electrophysical Properties of Composite Materials Filled with These Fibers, 2035
Levendis, D. C. See Ferg, E. E., 907
Levita, G. See Livi, A., 1583
Li, C. See Li, Y., 1107
Li, F.
—; Jin, Y.; Pei, F.; Wang, F.: Ring-Opening Polymerization of Tetrahydrofuran with Rare Earth-Contained Catalysts, 2017
Li, K. See Wang, D., 1693
Li, R.
—; Wu, S.; Ivanova, E.; Chudnovsky, A.; Sehanobish, K.; Bosnyak, C. P.: Finite Element Model and Experimental Analysis of Crack–Inclusion Interaction, 1233
Li, Y.
—; Hu, Z.; Li, C.: New Method for Measuring Poisson's Ratio in Polymer Gels, 1107
Liang, H. See Xie, R., 1397
Liao, S. See Gao, H., 1035
Lilge, D. See Wu, C., 1753
Lin, J.-S. See Lin, K.-F., 1601
Lin, K.-F.
—; Lin, J.-S.: Allylamine-Adducted Bismaleimide Resins: I. The Curing Reactions, 1601
Lin, Y. See Zhao, Z., 1917
Lindén, L.
—; Rabek, J. F.: Structures and Mechanisms of Formation of Poly(Acrylic Acid)–Iron (II and III) Chloride Gels in Water and Hydrogen Peroxide, 1331
Liu, H.-J. See Shiaw-Guang Hu, D., 1391
Liu, R. See Gao, H., 1035
Livi, A.
—; Levita, G.; Rolla, P. A.: Dielectric Behavior at Microwave Frequencies of an Epoxy Resin During Crosslinking, 1583
López, J. See Jiménez, A., 1565
Lopez, K. M. See Harris, R. F., 559
Lu, J.-Y. See Chiang, W.-Y., 1007
Luo, Y. See Zhao, Y., 1797

Ma, C. C. M. See Chang, C. L., 855
Ma, C.-C. M. See Chen, C.-H., 759
Maazouz, A.
—; Sautereau, H.; Gerard, J. F.: Hybrid-Particulate Composites Based on an Epoxy Matrix, a Reactive Rubber, and Glass Beads: Morphology, Viscoelastic, and Mechanical Properties, 615
Maehala, T. See Yamamoto, K., 753

Malavašič, T. See Žerjal, B., 719
Malhotra, B. D. See Misra, S. C. K., 411
Mallick, A.
—; Tripathy, D. K.; De, S. K.: Effect of Reinforcing Carbon Black Filler on Thermally Induced Crosslinking of Polyacrylic Acid–Epoxidized Natural Rubber Blend, 1627
Manalis, S. See Wragg, J. L., 917
Mani, R. See Singh, R. P., 1871
Marom, G. See Teishev, A., 503
Martins-Franchetti, S. M.
—; Atvars, T. D. Z.: Photoluminescence Study of β Relaxation of Polyethylene Blends, 1591
Masamoto, J.
—; Iwaisako, T.; Chohno, M.; Kawamura, M.; Ohtake, J.; Matsuzaki, K.: Development of a New Advanced Process for Manufacturing Polyacetal Resins. Part I. Development of a New Process for Manufacturing Highly Concentrated Aqueous Formaldehyde Solution by Methylal Oxidation, 1299
—; Matsuzaki, K.; Iwaisako, T.; Yoshida, K.; Kagawa, K.; Nagahara, H.: Development of a New Advanced Process for Manufacturing Polyacetal Resins. III. End-Capping during Polymerization for Manufacturing Acetal Homopolymer and Copolymer, 1317
—; Matsuzaki, K.; Morishita, H.: Development of a New Advanced Process for Manufacturing Polyacetal Resins. II. Vapor–Liquid Equilibrium of Formaldehyde–Water System, 1307
Mason, L. R.
—; Doyle, T. E.; Reynolds, A. B.: Oxidation Induction Time Correlations with Radiation Dose and Antioxidant Concentration in EPR and XLPE Polymers, 1493
Masuda, K. See Kojima, T., 2197
Matsuda, H. See Kamiyama, M., 107
Matsukawa, M.
—; Okabe, H.; Matsushige, K.: Relaxations of Bisphenol A-Based Epoxides Cured with Aliphatic Diamines, 67
Matsushige, K. See Matsukawa, M., 67
Matsushita, S.
—; Deki, S.; Mizuhata, M.; Sugita, M.; Kanaji, Y.: Anomalous Behavior of Electrical Conductivity of Solubilized Collagen Solutions with Thermal Denaturation, 1969
Matsuura, T. See Ito, Y., 1989
Matsuyama, T. See Takamiya, H., 1807
Matsuzaki, K. See Masamoto, J., 1299, 1307, 1317
Matsuzawa, S. See Takamiya, H., 1807
Mattson, B.
—; Stenberg, B.: Surface Modification and Stabilization of Rubber Materials: Plasma Polymerization and Photografting, 1247
McGarvey, C.
—; Beccat, P.; Zanier-Szydlowski, N.: An Adhesion Study of Poly(Phenylquinoxaline) on Silicon Wafers, 2149
McKillop, A. G. See Rowe, R. C., 321
Mebarkia, S. See Vipulanandan, C., 1159
Mehrotra, K. N.
—; Jain, M.: Acoustic Behavior of Chromium Soap Solutions in Benzene–Dimethyl Formamide Mixture, 41
Mei, W.-P. See Chiang, W.-Y., 2191
Meira, G. R. See Estenoz, D. A., 1081
Meissner, B.: Bound Rubber Theory and Experiment, 285
Meng, J.-B. See Ito, Y., 1989
Mensitieri, G. See Del Nobile, M. A., 1261
Messina, G. See Cardi, N., 1501
Migliaresi, C. See Teishev, A., 503
Mihailov, M. See Bac, N. V., 845
Miltz, J. See Eichler, S., 2095
Min, B.-G.
—; Hodgkin, J. H.; Stachurski, Z. H.: Reaction Mechanisms, Microstructure, and Fracture Properties of Thermoplastic Polysulfone-Modified Epoxy Resin, 1065
—; Stachurski, Z. H.; Hodgkin, J. H.: Microstructural Effects and the Toughening of Thermoplastic Modified Epoxy Resins, 1511
Misra, A.
—; Sawhney, G.; Kumar, R. A.: Structure and Properties of Compatibilized Blends of Polyamide-6 and ABS, 1179
Misra, S. C. K.
—; Beladakere, N. N.; Pandey, S. S.; Ram, M. K.; Sharma, T. P.; Malhotra, B. D.; Chandra, S.: Optical and Electrical Characteristics of Electrodeposited Polypyrrole Films, 411
Mitani, K. See Yamamoto, K., 753
Miyagawa, K. See Ogawa, I., 35
Mizuhara, Y. See Kubota, N., 1665
Mizuhata, M. See Matsushita, S., 1969
Mizutani, Y. See Nagō, S., 1815; Yamamoto, K., 753
Mohammed, M. A.
—; Rossbach, V.: Surface

Activation of Polytetrafluoroethylene by Bonding of Polymeric Silicic Acid, 929
Moharram, M. A.
—; Rabie, S. M.; Daghistani, A. Y.: Effect of γ-Irradiation and Temperature on the Structure of Metal Chloride Treated Poly(Acrylamide), 459
Mohsen, M. See El-Sayed, A. M. A., 1723
Monteiro, E. See Neves, C. J., 817
Moon, Y. D. See Lee, Y. M., 1461
Moreland, J. C. See Dounis, D. V., 293
Morishita, H. See Masamoto, J., 1307
Morris, D. R.
—; Sun, X.: Water-Sorption and Transport Properties of Nafion 117 H, 1445
Motamedi, F. See Fenwick, D., 1151
Mukesh, D. See Joshi, M. V., 75
Mukherjee, A.
—; Biswas, M.: Thermal Characteristics of Iron (III), Cobalt (II), and Copper (II) Complexes of Dipyridylamine Anchored on Polystyrene–Divinylbenzene Copolymer, 1485
Mulder, M. H. V. See Bulte, A. M. W., 13
Munari, A.
—; Fiorini, M.; Pezzin, G.; Pilati, F.: Rheological Behavior of Poly(1,4-butylene isophthalate) Containing Sodium Sulfonate Groups, 159
Murata, Y. See Choi, C. H., 2217
Musil, V. See Žerjal, B., 719
Myerson, A. S. See Hsu, W. P., 271
Myhre, O. J. See Andreassen, E., 1715
Nafisi, S. See Askari, F., 1851
Nagahara, H. See Masamoto, J., 1317
Nagata, M. See Torikai, A., 2185
Nagata, T. See Ogawa, T., 981
Nagō, S.
—; Mizutani, Y.: Microporous Polypropylene Sheets Containing Polymethylsilsesquioxane Filler, 1815
Naitoh, K.
—; Koseki, K.; Yamaoka, T.: An Aqueous-Base Developable Photoresist Based on Light-Induced Cationic Polymerization: Resist Performance of Poly(Glycidyl Methacrylate-*co*-Methacrylic Acid), 243
Nam, J.-D.
—; Seferis, J. C.: Application of the Kinetic Composite Methodology to Autocatalytic-Type Thermoset Prepreg Cures, 1555
Nasar, A. S. See Kothandaraman, H., 1611
Näsman, J. H. See Ekman, K. B., 233; Wilén, C.-E., 1541
Nayak, P. L.
—; Senapati, M.; Choudhury, P.: Thermal Properties of Resin Copolymers Derived From *o*-Hydroxy Acetophenone, 373
Nazábal, J. See Sánchez, P., 995
Neelakantan, N. R. See Kumar, G., 2209
Netti, P. See Amendola, E., 83
Neuse, E. W. See Caldwell, G., 393
Neves, C. J.
—; Monteiro, E.; Habert, A. C.: Characterization of Fractionated LLDPE by DSC, FTIR, and SEC, 817
Ng, S. C. See Chee, K. K., 1115
Nicolais, L. See Amendola, E., 83; Del Nobile, M. A., 1261
Nishitani, T.
—; Tsuji, M.; Seutsugu, M.; Ogura, H.: Stress–Optic Relation and Photo-Viscoplasticity for Plastically Deforming Polymer Solids, 1985
Nisizawa, M.: Radiation-Induced Sol–Gel Transition of Protein: Effects of Metal Ions on Thermal Property (Note), 1113
Nivedita, Ms. See Bajpai, U. D. N., 693
Noguchi, H. See Yanase, N., 765
Novotny, V. J. See Karis, T. E., 1357
Nurdin, N.
—; Helary, G.; Sauvet, G.: Biocidal Polymers Active by Contact. II. Biological Evaluation of Polyurethane Coatings with Pendant Quaternary Ammonium Salts, 663
—; Helary, G.; Sauvet, G.: Biocidal Polymers Active by Contact. III. Ageing of Biocidal Polyurethane Coatings in Water, 671
Nurdin, N. See Hazziza-Laskar, J., 651

Occhiello, E. See Cardi, N., 1501
Oflaz, F. See Saçak, M., 1909
Ogawa, I.
—; Yamano, H.; Miyagawa, K.: Swelling of Hydrophilic Polymers. II, 35
Ogawa, T.
—; Nagata, T.; Hamada, Y.: Determination of Diffusion Coefficient of Water in Polymer Films by TGA, 981
Ogura, H. See Nishitani, T., 1985
Ohtake, J. See Masamoto, J., 1299
Okabe, H. See Matsukawa, M., 67; Tokizawa, M., 627, 875
Okamoto, Y. See Hsu, W. P., 271

Okaya, T.
—; Tanaka, T.; Yuki, K.: Study on Physical Properties of Poly(vinyl Acetate) Emulsion Films Obtained in Batchwise and in Semicontinuous Systems, 745
Okisaki, F. See Torikai, A., 2185
Omidian, H. See Askari, F., 1851
Onabe, F. See Shibazaki, H., 965

Paauw, M.
—; Pizzi, A.: Some Filler Effects on Cross-Linking of Unsaturated Polyesters, 1287
Pakbaz, K. See Kawatsuki, N., 1575
Pan, I.-L. See Shiaw-Guang Hu, D., 1391
Pan, J. See Lau, W. W. Y., 403
Pandey, S. N. See Saha, S. C., 555
Pandey, S. S. See Misra, S. C. K., 411
Parisi, J. P. See Boutevin, B., 2065
Park, C. E. See Kim, W. N., 1951
Park, C. K.
—; Ha, C. S.; Lee, J. K.; Cho, W. J.: Synthesis of Poly(chloroprene-*co*-isobutyl methacrylate) and Its Compatibilizing Effect in Polychloroprene/Poly(isobutyl methacrylate) Blends, 1239
Park, C. K. See Lee, Y. M., 1461
Park, S. Y. See Choi, D., 1429
Patil, N. B. See Bhama Iyer, P., 1295
Páz, S. See Peniche, C., 485
Pazos, M. See Peniche, C., 485
Pei, F. See Li, F., 2017
Peiffer, D. G. See Gorda, K. R., 1977
Peniche, C.
—; Zaldívar, D.; Bulay, A.; San Román, J.: Influence of Chain Microstructure on Thermodegradative Behavior of Furfuryl Methacrylate-*N*-Vinylpyrrolidone Random Copolymers by Thermogravimetry, 2121
—; Zaldívar, D.; Pazos, M.; Páz, S.; Bulay, A.; San Román, J.: Study of the Thermal Degradation of Poly(*N*-vinyl-2-pyrrolidone) by Thermogravimetry–FTIR, 485
Peters, O. A. See Still, R. H., 989
Pezzin, G. See Munari, A., 159
Pilati, F. See Munari, A., 159
Piskin, E. See Tuncel, A., 303
Pizzi, A.
—; Stephanou, A.: A Comparative C^{13} NMR Study of Polyflavonoid Tannin Extracts for Phenolic Polycondensates, 2105
—; Stephanou, A.; Antunes, I.; De Beer, G.: Alkaline PF Resins Linear Extension by Urea Condensation with Hydroxybenzylalcohol Groups, 2201
Pizzi, A. See Ferg, E. E., 907; Paauw, M., 1287
Pluta, M. See Trznadel, M., 637
Po, R. See Cardi, N., 1501
Poehlein, G. W. See Wang, S., 2173
Polyzois, G. L. See Andreopoulos, A. G., 729
Ponomarenko, A. T. See Letyagin, S. V., 2035
Ponrathnam, S. See Chetan, M. S., 685
Popović, I. G.
—; Katsikas, L.; Weller, H.; Schrötter, S.; Veličković, J. S.: Polymerization Studies: The Application of Differential Thermogravimetric Analysis, 1475
Potgieter, H. F.
—; Sanderson, R. D.: NG-Migration into Double-Base Inhibitors. I. Sorption, 1761
Prasad, N. M. See Teli, M. D., 449

Qin, Y. See East, G. C., 1773
Quillin, D. T.
—; Caulfield, D. F.; Koutsky, J. A.: Crystallinity in the Polypropylene/Cellulose System. I. Nucleation and Crystalline Morphology, 1187

Rabek, J. F. See Lindén, L., 1331
Rabie, S. M. See Moharram, M. A., 459
Radeva, E.
—; Tsankov, D.; Bobev, K.; Spassov, L.: Fourier Transform Infrared Analysis of Hexamethyldisiloxane Layers Obtained in Low-Frequency Glow Discharge, 165
Rajan, C. R. See Chetan, M. S., 685
Rakshit, A. K. See Joseph, R., 173
Ram, M. K. See Misra, S. C. K., 411
Ramesh, P.
—; De, S. K.: Carboxylated Nitrile Rubber as a Reactive Compatibilizer for Immiscible Blends of Poly(vinyl chloride) and Epoxidized Natural Rubber, 1369
Rao, K. P. See Shantha, K. L., 1863
Ray, P. K. See Saha, S. C., 555
Ray, W. H. See Jaber, I. A., 201, 217
Rembold, M. See Wang, J., 585
Remiro, P. M. See Sánchez, P., 995
Reynolds, A. B. See Mason, L. R., 1493
Rhim, J.-W.
—; Sohn, M.-Y.; Joo, H.-J.; Lee, K.-H.: Pervaporation

Separation of Binary Organic-Aqueous Liquid Mixtures Using Crosslinked PVA Membranes. I. Characterization of the Reaction between PVA and PAA, 679
Robin, J. J. See Boutevin, B., 2065
Rodgers, P. A.: Pressure–Volume–Temperature Relationships for Poly(vinylidene fluoride) and Polyamide-11, 2075
Rolla, P. A. See Livi, A., 1583
Rosenblatt, J.
—; Devereux, B.; Wallace, D. G.: Dynamic Rheological Studies of Hydrophobic Interactions in Injectable Collagen Biomaterials, 953
Rossbach, V. See Mohammed, M. A., 929
Roume, C. See Boutevin, B., 2065
Rowe, R. C.
—; McKillop, A. G.: Molecular Weight Dependence of the Heats of Hydration of Some Oligomeric Ethylene Oxides and Their Methoxyl Derivatives, 321
Roychoudhury, A.
—; De, P. P.: Reinforcement of Epoxidized Natural Rubber by Carbon Black: Effect of Surface Oxidation of Carbon Black Particles, 181
—; De, S. K.: Characterization of Network Structure of Rubber Vulcanizate by Monsanto Moving Die Rheometer (MDR 2000), 811

Saçak, M.
—; Bastuğ, N.; Talu, M.: Azobisisobutyronitrile-Initiated Graft Copolymerization of Methyl Methacrylate onto Poly(ethylene terephthalate) Fibers, 1123
—; Oflaz, F.: Benzoyl-Peroxide-Initiated Graft Copolymerization of Poly(ethylene terephthalate) Fibers with Acrylic Acid, 1909
Saha, S. C.
—; Das, B. K.; Ray, P. K.; Pandey, S. N.; Goswami, K.: Some Physical Properties of Pineapple Leaf Fiber (PALF) Influencing Its Textile Behavior (Note), 555
Saiello, S. See Amendola, E., 83
Saito, R. See Ishizu, K., 891
Saitoh, H. See Kobayashi, T., 971
Sakiyama, T.
—; Chu, C.-H.; Fujii, T.; Yano, T.: Preparation of a Polyelectrolyte Complex Gel From Chitosan and κ-Carrageenan and Its pH-Sensitive Swelling, 2021
San Román, J. See Peniche, C., 485, 2121
Sánchez, A. See Jiménez, A., 1565
Sánchez, P.
—; Remiro, P. M.; Nazábal, J.: Physical Properties and Structure of Unreacted PC/PBT Blends, 995
Sanderson, R. D. See Immelman, E., 1013; Potgieter, H. F., 1761
Sano, Y. See Kamiyama, M., 107
Sarlin, J.
—; Törmälä, P.: Heat Treatment Studies of a TLCP Fiber, 1225
Sarti, G. C. See Hariharan, R., 1781
Sautereau, H. See Maazouz, A., 615
Sauvet, G. See Hazziza-Laskar, J., 651; Nurdin, N., 663, 671
Sawhney, G. See Misra, A., 1179
Scherer, G. G. See Gupta, B., 2129
Schmidt, H.-W. See Kawatsuki, N., 1575
Schneider, H. See Vickroy, V. V., 551
Scholtens, B. J. R. See Braam, Ad W. M., 2007
Schrötter, S. See Popović, I. G., 1475
Schueneman, G. See Gaynor, J., 1645
Schuman, P. See Gaynor, J., 1645
Scott, G. See Al-Malaika, S., 1823
Seferis, J. C. See Nam, J.-D., 1555
Sehanobish, K. See Li, R., 1233
Senapati, M. See Nayak, P. L., 373
Seutsugu, M. See Nishitani, T., 1985
Shantha, K. L.
—; Rao, K. P.: Drug-Release Behavior of Polyurethane Microspheres, 1863
Sharma, T. P. See Misra, S. C. K., 411
Shen, S.-C. See Wu, J.-S., 1379
Shevchenko, V. G. See Letyagin, S. V., 2035
Shiaw-Guang Hu, D.
—; Liu, H.-J.; Pan, I.-L.: Inhibition of Bovine Serum Albumin Adsorption by Poly(ethylene glycol) Soft Segment in Biodegradable Poly(ethylene glycol)/Poly(L-lactide) Copolymers, 1391
Shibazaki, H.
—; Kuga, S.; Onabe, F.; Usuda, M.: Bacterial Cellulose Membrane as Separation Medium, 965
Shiozaki, H. See Tsukada, M., 1519, 1841
Shishoo, R. L. See Epstein, M., 863
Shrinet, V.
—; Krishna Moorthy, P. A.: Application of Thermogravimetric Analysis to Predict the Thermal Rating of Solid Insulating Materials (Note), 367

Simpson, D. M. See Gupta, A., 2085
Singh, R. P.
—; Mani, R.; Sivaram, S.; Lacoste, J.; Vaillant, D.: Photoinitiated Oxidation of Heterophasic Ethylene–Propylene Copolymers. I. Comparison of Oxidation Products, 1871
Sivaram, S. See Singh, R. P., 1871
Šmit, I. See Žerjal, B., 719
Smith, P. See Al-Malaika, S., 1823; Fenwick, D., 1151
Smolders, C. A. See Bulte, A. M. W., 13
Sohn, M.-Y. See Rhim, J.-W., 679
Somashekar, R.
—; Urs, R. G. K.: Crystal Size and Minimum Enthalpy of Crossbreed Silk Fibers Annealed at Various Temperatures, 949
Sommazzi, A. See Del Nobile, M. A., 1261
Song, Y. See Lau, W. W. Y., 403
Sourirajan, S. See Wang, D., 1693
Spassov, L. See Radeva, E., 165
Speer, J. A. See White, D. F., 541
Stachurski, Z. H. See Min, B.-G., 1065, 1511
Stenberg, B. See Mattson, B., 1247
Stephanou, A. See Caldwell, G., 393; Pizzi, A., 2105, 2201
Still, R. H.
—; Peters, O. A.: Vacuum Pyrolysis of Polystyrene Oligomers, 989
Strathmann, H. See Kerres, J. A., 1405
Subbaiyan, M. See Thiagarajan, N., 1195
Subramanian, N. See Kumar, G., 2209
Sudduth, R. D.: A Generalized Model to Predict the Viscosity of Solutions with Suspended Particles. III. Effects of Particle Interaction and Particle Size Distribution, 123
Sudol, E. D. See Hattori, M., 2027
Sugama, T.
—; Carciello, N. R.: Cathodic Delaminations of Poly(phenyl ether ether ketone) (PEEK) Coatings Overlaid on Zinc Phosphate-Deposited Steels, 1701
Sugama, T. See Wragg, J. L., 917
Sugita, M. See Matsushita, S., 1969
Sun, D. See Dunn, E. J., 353
Sun, X. See Morris, D. R., 1445
Suthar, B.
—; Dave, M.; Jadav, K.: Sequential-Interpenetrating Polymer Networks from Castor Oil-Based Polyesters. XXVI., 2143
Suzuki, Y. See Torikai, A., 2185
Suzuta, T. See Yanase, N., 765

Tabata, K. See Ito, Y., 1989
Tago, K. See Kojima, T., 2197
Takahata, H. See Inoue, K., 1857
Takamiya, H.
—; Tanahashi, Y.; Matsuyama, T.; Tanigami, T.; Yamaura, K.; Matsuzawa, S.: On the Poly(vinyl alcohol)–Iodine Complexes, 1807
Takita, Y. See Kubota, N., 1665
Talu, M. See Sacak, M., 1123
Tan, D.-M. See Jang, S.-S., 1959
Tanahashi, Y. See Takamiya, H., 1807
Tanaka, T. See Okaya, T., 745
Tanigaki, T. See Inoue, K., 1857
Tanigami, T. See Takamiya, H., 1807
Tebelius, L. K. See Thorstenson, T. A., 1207
Teishev, A.
—; Incardona, S.; Migliaresi, C.; Marom, G.: Polyethylene Fibers–Polyethylene Matrix Composites: Preparation and Physical Properties, 503
Teli, M. D.
—; Prasad, N. M.; Vyas, U. V.: Electrokinetic Properties of Modified Polyester Fibers, 449
Teo, W. K. See Wang, D., 1693
Terauchi, K.-I.: Preparation of New Hydrophilic and Durable Porous Polymer Particles, 709
Terlemezyan, L. See Bac, N. V., 845
Terlingen, J. G. A.
—; Hoffman, A. S.; Feijen, J.: Effect of Glow Discharge Treatment of Poly(Acrylic Acid) Preadsorbed Onto Poly(ethylene), 1529
Thiagarajan, N.
—; Subbaiyan, M.: Synthesis and Characterization of Amide Linkage-Incorporated Polyethyleneimine-Based Chelating Resins and Studies of the Crosslink Density and Surface Properties on Metal Ion Uptake, 1195
Thommen, F. See Wang, J., 585
Thorstenson, T. A.
—; Tebelius, L. K.; Urban, M. W.: Surface and Interfacial FT–IR Spectroscopic Studies of Latexes. VII. EA/MAA Latex Suspension Stability and Surfactant Migration, 1207
Tokizawa, M.
—; Okada, H.; Wakabayashi, N.: Novel Cycloaliphatic Epoxy Resins. II. Curing Reaction with BF_3MEA and Its Cured Properties, 875
—; Okada, H.; Wakabayashi, N.; Kimura, T.; Fukutani, H.: Preparation and Cured Properties of Novel Cycloaliphatic Epoxy Resins, 627

Torikai, A.
—; Kato, H.; Fueki, K.; Suzuki, Y.; Okisaki, F.; Nagata, M.: Photodegradation of Polymer Materials Containing Flame-Cut Agents, 2185
Törmälä, P. See Sarlin, J., 1225
Tripathy, D. K. See Mallick, A., 1627
Trznadel, M.
—; Pluta, M.; Kryszewski, M.: Oriented PP–PS Composites Obtained by Polymerization of Styrene Inside Oriented PP Matrices. II. Shrinkage Behavior and Mechanical Properties, 637
Tsankov, D. See Radeva, E., 165
Tsuji, M. See Nishitani, T., 1985
Tsukada, M.
—; Freddi, G.; Ishiguro, Y.; Shiozaki, H.: Structural Analysis of Methacrylamide-Grafted Silk Fibers, 1519
—; Kasai, N.; Freddi, G.: Structural Analysis of Methyl Methacrylate-Grafted Silk Fibers, 885
—; Shiozaki, H.; Goto, Y.; Freddi, G.: Physical Properties of Silk Fibers Treated with Ethylene Glycol Diglycidyl Ether by the Pad/Batch Method, 1841
Tuncel, A.
—; Kahraman, R.; Piskin, E.: Monosize Polystyrene Microbeads by Dispersion Polymerization, 303
Tung, L. H.: A Stepwise Scheme for the Calculation of Molecular Weight Distribution in Condensation Polymers. II. Scheme for Bimolecular Condensation Polymers, 381
Turner, R. B. See Dounis, D. V., 293
Uramoto, H.
—; Kawabata, N.: Separation of Alcohol–Water Mixture by Pervaporation through a Reinforced Polyvinylpyridine Membrane, 115
Urban, M. W. See Kunkel, J. P., 1217; Thorstenson, T. A., 1207
Urs, R. G. K. See Somashekar, R., 949
Usuda, M. See Shibazaki, H., 965

Vahdat, N.: Solubility of Binary Liquid Mixtures in Polymeric Materials, 1833
Vaillant, D. See Singh, R. P., 1871
Van Dam, J.
—; Daenens, P.; Busson, R.: Isolation and Identity Verification of Polyalkylene Glycols in Fire Resistant Hydraulic Fluids Type C and D U, 2115
Van De Mark, M. R. See Chen, X., 1923
Van Reenen, A. J. See Immelman, E., 1013
Vázquez-Torres, H.
—; Cauich-Rodríguez, J. V.; Cruz-Ramos, C. A.: Poly(vinyl alcohol)/Poly(acrylic acid) Blends: Miscibility Studies by DSC and Characterization of Their Thermally Induced Hydrogels, 777
Veličković, J. S. See Popović, I. G., 1475
Vickroy, V. V.
—; Schneider, H.; Abbott, R. F.: The Separation of SEC Curves of HDPE into Flory Distributions, 551
Villalobos, M. A.
—; Hamielec, A. E.; Wood, P. E.: Bulk and Suspension Polymerization of Styrene in the Presence of *n*-Pentane. An Evaluation of Monofunctional and Bifunctional Initiation, 327
Vipulanandan, C.
—; Mebarkia, S.: Flexural Strength, Toughness, and Fracture Properties of Polyester Composites, 1159
Vyas, U. V. See Teli, M. D., 449

Wakabayashi, N. See Tokizawa, M., 627, 875
Wallace, D. G. See Rosenblatt, J., 953
Wang, C.-C.
—; Hsiue, G.-H.: Glucose Oxidase Immobilization onto a Plasma-Induced Graft Copolymerized Polymeric Membrane Modified by Poly(ethylene oxide) as a Spacer, 1141
Wang, C.-S. See Gu, J.-T., 149; Ho, T.-H., 477
Wang, D.
—; Li, K.; Sourirajan, S.; Teo, W. K.: Phase Separation Phenomena of Polysulfone/Solvent/Organic Nonsolvent and Polyethersulfone/Solvent/Organic Nonsolvent Systems, 1693
Wang, F. See Li, F., 2017
Wang, H. See Wang, J., 585
Wang, J.
—; Feng, D.; Wang, H.; Rembold, M.; Thommen, F.: An XPS Investigation of Polymer Surface Dynamics. I. A Study of Surfaces Modified by CF_4 and CF_4/CH_4 Plasmas, 585
Wang, S.
—; Poehlein, G. W.: Characterization of Water-Soluble Oligomer in Acrylic Acid-Styrene Emulsion Copolymerization, 2173
Watkins, J. J. See Fagerburg, D. R., 1903
Wei, I.-J. See Jang, S.-S., 1959
Weller, H. See Popović, I. G., 1475

Wenig, W.
—; Herzog, F.: Injection Molding of Polypropylene: X-Ray Investigation of the Skin–Core Morphology, 2163
Wesslén, B. See Freij-Larsson, C., 345
Wey, B.-S. See Kuo, P.-L., 95
White, D. F.
—; Fornes, R. E.; Gilbert, R. D.; Speer, J. A.: Investigation of the Formation of Physical Damage on Automotive Finishes Due to Acidic Reagent Exposure, 541
White, H. W. See Wragg, J. L., 917
Wilén, C.-E.
—; Fälden-Nylund, M.; Näsman, J. H.: Studies on the Mechanical Properties of a Glass-Fiber Reinforced Polypropylene/4-(hept-6-enyl)-2,6-di-*tert*-butylphenol Copolymer, 1541
Wilkes, G. L. See Dounis, D. V., 293
Wittenbeck, P.
—; Wokaun, A.: Plasma Treatment of Polypropylene Surfaces: Characterization by Contact-Angle Measurements, 187
Wittmann, J.-C. See Fenwick, D., 1151
Wokaun, A. See Wittenbeck, P., 187
Woo, E. M.: Time–Temperature Viscoelastic Behavior of an Interlaminar-Toughened Epoxy Composite, 1683
Wood, P. E. See Villalobos, M. A., 327
Wragg, J. L.
—; Chamberlain, J. E.; Chann, L.; White, H. W.; Sugama, T.; Manalis, S.: Characterization of Polyacrylic Acid Modified Zinc Phosphate Crystal Conversion Coatings, 917
Wu, C.
—; Lilge, D.: High-Temperature Dynamic Laser Light-Scattering Characterization of Polyethylene in Trichlorobenzene, 1753
Wu, J.-S.
—; Shen, S.-C.; Chang, F.-C.: Effect of Polycarbonate Molecular Weight on Polymer Blends of Polycarbonate and ABS, 1379
Wu, S. See Li, R., 1233
Wu, X. See Zhao, Z., 1917

Xie, R.
—; Liang, H.; Yang, B.; Jiang, B.; Zhang, Q.; Xu, Y.: Entanglement Fluctuation during Phase Separation in Polymer Blends, 1397
Xu, Y. See Gao, H., 1035; Xie, R., 1397
Xu, Z. S. See Hsu, W. P., 271

Yamada, Y. See Ishizu, K., 891
Yamamoto, K.
—; Maehala, T.; Mitani, K.; Mizutani, Y.: Preparation and Application of Low Molecular weight Poly(vinylchloride). III. Mechanical Properties of Blended Poly(vinyl chloride), 753
Yamano, H. See Ogawa, I., 35
Yamaoka, T. See Naitoh, K., 243
Yamaura, K. See Takamiya, H., 1807
Yanase, N.
—; Noguchi, H.; Asakura, H.; Suzuta, T.: Preparation of Magnetic Latex Particles by Emulsion Polymerization of Styrene in the Presence of a Ferrofluid, 765
Yang, B. See Xie, R., 1397
Yang, C. Q.: Infrared Spectroscopy Studies of the Effects of the Catalyst on the Ester Cross-Linking of Cellulose by Poly(carboxylic acids), 2047
Yang, C.-P.
—; Chen, Y.-H.: Coemulsion and Electrodeposition Properties of Mixtures of Cationic Epoxy Resin and Cationic Acrylic Resin Containing Butoxymethylamide Groups, 469
Yang, S.
—; Zhang, J.; Bo, Q.; Fang, D.: Synthesis and Characterization of Poly(phenylene sulfide). I. Studies on the Synthesis and the Property Differences of Poly(phenylene sulfide) with Terminal Chloro Groups and Poly(phenylene sulfide) with Terminal Thiohydroxy Groups, 1883
Yano, T. See Sakiyama, T., 2021
Yeh, J.-L.
—; Kuo, J.-F.; Chen, C.-Y.: Adiabatic Anionic Polymerization of Caprolactam in the Presence of *N*-Acylated Caprolactam Macroactivator: Kinetic Study, 1671
Yonezawa, K. See Iwahara, T., 825
Yoshida, K. See Masamoto, J., 1317
Youan, M.: Surface Acid-Base Characteristics of Fiber Materials by Contact Angle Measurements, 851
Yu, D. See Gao, H., 1035
Yuki, K. See Okaya, T., 745

Zahran, M. K. See Hebeish, A., 2099

Zaldívar, D. See Peniche, C., 485, 2121

Zanier-Szydlowski, N. See McGarvey, C., 2149

Zellers, E. T.: Three-Dimensional Solubility Parameters and Chemical Protective Clothing Permeation. I. Modeling the Solubility of Organic Solvents in Viton® Gloves, 513

—; Zhang, G.-Z.: Three-Dimensional Solubility Parameters and Chemical Protective Clothing Permeation. II. Modeling Diffusion Coefficients, Breakthrough Times, and Steady-State Permeation Rates of Organic Solvents in Viton® Gloves, 531

Žerjal, B.

—; Musil, V.; Šmit, I.; Jelčić, Ž.; Malavašič, T.: Structure–Property Relationships in Polyurethane–Poly(styrene-*co*-acrylonitrile) Blends, 719

Zhan, F. See Huang, W., 277

Zhang, G.-Z. See Zellers, E. T., 531

Zhang, J. See Yang, S., 1883

Zhang, Q. See Xie, R., 1397

Zhang, X. See Dunn, E. J., 353

Zhao, Y.

—; Luo, Y.; Jiang, B.: Effect of Irradiation on Crystallinity and Mechanical Properties of Ultrahigh Molecular Weight Polyethylene, 1797

Zhao, Z.

—; Wu, X.; Lin, Y.: Rheological Behaviors of Bisphenol Series Thermotropic Liquid Crystalline Wholly Aromatic Copolyesters, 1917